

## AN INDUCTION PROOF

Prove the following identity by induction on  $r$ .

$$\sum_{k=0}^r \binom{m}{k} \binom{n}{r-k} = \binom{m+n}{r}$$

This problem seems to be harder than some of the others because I was doing it with the wrong identity. If you do induction on  $m$  or  $n$  it isn't as much of a problem because it can be done with the identity  $\binom{n+1}{k} = \binom{n}{k} + \binom{n}{k-1}$  (which you should remember from the second homework assignment).

For this problem, the easiest way seems to use the following intermediate result:

**Lemma 1.**

$$\sum_{a=0}^n \binom{a}{r} = \binom{n+1}{r+1} .$$

*Proof.* If  $n = 0$ , then

$$\sum_{a=0}^0 \binom{a}{r} = \binom{0}{r} = \begin{cases} 1 & \text{if } r = 0 \\ 0 & \text{for } r > 0 \end{cases}$$

We also have that

$$\binom{0+1}{r+1} = \begin{cases} 1 & \text{if } r = 0 \\ 0 & \text{for } r > 0 \end{cases}$$

hence the left hand side and the right hand side of this identity are equal for the case of  $n = 0$ .

Assume that we have for a fixed  $n$  that

$$\sum_{a=0}^n \binom{a}{r} = \binom{n+1}{r+1} .$$

Then

$$\sum_{a=0}^{n+1} \binom{a}{r} = \sum_{a=0}^n \binom{a}{r} + \binom{n+1}{r} = \binom{n+1}{r+1} + \binom{n+1}{r} = \binom{n+2}{r+1} = \binom{(n+1)+1}{r+1}$$

Hence the identity holds for  $n+1$ . Since it is true for a base case and if it is true for  $n$  then it holds for  $n+1$  then by the principle of mathematical induction it is true for all  $n$ .  $\square$

Now to prove the identity I had to modify it slightly. See if you can spot the difference and when you read the proof, see if you can spot why the statement that I had before wasn't good enough.

**Proposition 2.** For  $m + n \geq 0$  and for  $r \geq 0$ ,

$$\sum_{k=0}^r \binom{m}{k} \binom{n}{r-k} = \binom{m+n}{r}$$

*Proof.* We will prove this by induction on  $r$ . First we try  $r = 0$ . On the left hand side of the equation we have

$$\sum_{k=0}^0 \binom{m}{k} \binom{n}{0-k} = \binom{m}{0} \binom{n}{0} = 1$$

Similarly, on the right hand side of this identity we see

$$\binom{m+n}{0} = 1.$$

Since these are both equal to 1 the identity is true for  $r = 0$ .

Now we will assume for a fixed  $r$  that the identity that we would like to show is true. That is assume that we know for any  $m + n \geq 0$ , that

$$\sum_{k=0}^r \binom{m}{k} \binom{n}{r-k} = \binom{m+n}{r}$$

or by replacing  $x = m + n$ ,

$$\sum_{k=0}^r \binom{m}{k} \binom{x-m}{r-k} = \binom{x}{r}$$

Now we start with the right hand side of the identity we are showing with  $r$  replaced by  $r + 1$ , then

$$\begin{aligned} \binom{m+n}{r+1} &= \sum_{a=0}^{m+n-1} \binom{a}{r} \\ &= \sum_{a=0}^{m+n-1} \sum_{k=0}^r \binom{m}{k} \binom{a-m}{r-k} \\ &= \sum_{k=0}^r \binom{m}{k} \sum_{a=0}^{m+n-1} \binom{a-m}{r-k} \\ &= \sum_{k=0}^r \binom{m}{k} \binom{n}{r+1-k} \end{aligned}$$

Therefore the identity holds for  $r$  replaced by  $r + 1$ . Since we have shown that since the identity is true for a fixed  $r$ , then it is true for  $r$  replaced by  $r + 1$  and we have shown it for

the base case of  $r = 0$ , then by the principle of mathematical induction the identity holds for all  $r \geq 0$ .  $\square$