

Math 2221 - Practice for Final - Zabrocki - April 3, 2008

- (1) Find the eigenvalues and the eigenvectors of the following matrix.

$$\begin{bmatrix} -16 & 9 & 45 \\ 0 & 2 & 0 \\ -6 & 3 & 17 \end{bmatrix}$$

- (2) What is the rank of the matrix?

$$A = \begin{bmatrix} 1 & -2 & 9 & 5 & 4 \\ 1 & -1 & 6 & 5 & -3 \\ -2 & 0 & -6 & 1 & -2 \\ 4 & 1 & 9 & 1 & -9 \end{bmatrix}$$

Find a basis for $Row(A)$, $Col(A)$ and $Null(A)$.

- (3) Find a basis \mathcal{B} for $Null(A)$ where

$$A = \begin{bmatrix} 1 & -5 & 2 & 8 \\ 2 & -4 & 1 & 7 \\ -1 & -3 & 2 & 4 \\ 4 & -6 & 1 & 11 \end{bmatrix}$$

Show that the vector $v = \begin{bmatrix} -2 \\ 10 \\ 2 \\ 6 \end{bmatrix}$ is in $Null(A)$ and give $[v]_{\mathcal{B}}$

- (4) Give the LU decomposition of the matrix

$$\begin{bmatrix} 1 & 1 & 1 & 1 & 1 \\ 1 & 2 & 2 & 3 & 4 \\ 1 & 2 & 3 & 4 & 6 \\ 1 & 3 & 4 & 7 & 12 \\ 1 & 4 & 6 & 12 & 24 \end{bmatrix}$$

- (5) What are the inverses of the following matrices? What are the determinants of the following matrices?

(a)

$$\begin{bmatrix} 3 & 2 \\ 1 & -7 \end{bmatrix}$$

(b)

$$\begin{bmatrix} 1 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{bmatrix}$$

(c)

$$\begin{bmatrix} 1 & 0 & -2 \\ 1 & -1 & 2 \\ 3 & 0 & -5 \end{bmatrix}$$

(6) Find a matrix P such that PAP^{-1} is diagonal where $A = \begin{bmatrix} 13 & 0 & -4 \\ -1 & 2 & 0 \\ 30 & 0 & -9 \end{bmatrix}$

(7) Find a formula for A^k where $A = \begin{bmatrix} -11 & -30 \\ 6 & 16 \end{bmatrix}$

(8) Give a basis for the following subspaces

(a)

$$\left\{ \begin{bmatrix} a & b \\ c & d \end{bmatrix} : a + d = 0 \text{ and } b + c = 0 \right\}$$

(subspace of 2×2 matrices).

(b)

$$\left\{ \begin{bmatrix} x + y + z \\ 3x - y - z \\ -2y + z \\ 2x + z \end{bmatrix} : x, y, z \in \mathbb{R} \right\}$$

(subspace of \mathbb{R}^4)

(9) Which of the following two sets of vectors are bases for \mathbb{R}^3 ? Explain why they are or are not bases. If the set of vectors is a basis for \mathbb{R}^3 , then find the change of basis matrix from the standard basis matrix to this set of vectors.

(a) $\left\{ \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix}, \begin{bmatrix} 2 \\ 1 \\ 3 \end{bmatrix}, \begin{bmatrix} 2 \\ 2 \\ 8 \end{bmatrix} \right\}$

(b) $\left\{ \begin{bmatrix} 5 \\ 11 \\ 3 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}, \begin{bmatrix} 2 \\ 4 \\ 1 \end{bmatrix} \right\}$

(10) Let $A = \begin{bmatrix} 2 & 5 & -3 & -4 & 8 \\ 4 & 7 & -4 & -3 & 9 \\ 6 & 9 & -5 & 2 & 4 \\ 0 & -9 & 6 & 5 & -6 \end{bmatrix}$ which we can show row reduces to the matrix

$$\begin{bmatrix} 2 & 5 & -3 & -4 & 8 \\ 0 & -3 & 2 & 5 & 7 \\ 0 & 0 & 0 & 4 & -6 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

Is the linear transformation T where $T(v) = Av - 1$? Is T an onto the subspace \mathbb{R}^4 ? Give a basis for the subspace $\{T(v) : v \in \mathbb{R}^5\}$ of \mathbb{R}^4 .

(11) If A is an invertible square matrix, what is $(A^T A^{-1})^T ((A^T A^{-1})^T A)^T A^{-1}$ in terms of products of A , A^T , A^{-1} and $(A^T)^{-1}$?

(12) Let T be a linear transformation on \mathbb{R}^2 such the image of the vectors $\mathbf{e}_1 = \begin{bmatrix} 1 & 0 \end{bmatrix}$ and $\mathbf{e}_2 = \begin{bmatrix} 0 & 1 \end{bmatrix}$ are shown in the picture. Draw approximately on the picture what the image of $\begin{bmatrix} 2 & -1 \end{bmatrix}$ under the action of T .

