

Examples of generating functions

November 24, 2011

For each of the following generating functions give a short proof (or sketch) that the formula matches the sequence.

- (1) A sequence of 1s

$$\frac{1}{1-q} = 1 + q + q^2 + q^3 + q^4 + q^5 + \dots$$

- (2) a sequence of k 1's followed by 0's

$$\frac{1-q^k}{1-q} = 1 + q + q^2 + \dots + q^{k-1}$$

- (3) binomial coefficients, top number changing

$$\frac{1}{(1-q)^{k+1}} = \binom{k}{k} + \binom{k+1}{k} q + \binom{k+2}{k} q^2 + \binom{k+3}{k} q^3 + \dots = \sum_{n \geq 0} \binom{n+k}{k} q^n$$

- (4) binomial coefficients, bottom number changing

$$(1+q)^n = 1 + \binom{n}{1} q + \binom{n}{2} q^2 + \binom{n}{3} q^3 + \dots = 1 + \binom{n}{1} q + \binom{n}{2} q^2 + \dots + \binom{n}{n} q^n = \sum_{k \geq 0} \binom{n}{k} q^k$$

- (5) odd integers

$$\frac{1+q}{(1-q)^2} = 1 + 3q + 5q^2 + 7q^3 + 9q^4 + \dots = \sum_{n \geq 0} (2n+1)q^n$$

- (6) even integers

$$\frac{2}{(1-q)^2} = 2 + 4q + 6q^2 + 8q^3 + 10q^4 + \dots = \sum_{n \geq 0} (2n+2)q^n$$

(7) squares of integers

$$\frac{q + q^2}{(1 - q)^3} = q + 4q^2 + 9q^3 + 16q^4 + 25q^5 + \dots = \sum_{n \geq 0} n^2 q^n$$

(8) cubes of integers

$$\frac{q + 4q^2 + q^3}{(1 - q)^4} = q + 8q^2 + 27q^3 + 64q^4 + 125q^5 + \dots = \sum_{n \geq 0} n^3 q^n$$

(9) one over an integer

$$-\ln(1 - q) = q + q^2/2 + q^3/3 + q^4/4 + q^5/5 + \dots = \sum_{n \geq 1} q^n/n$$

(10) Fibonacci numbers

$$\frac{1}{1 - q - q^2} = 1 + q + 2q^2 + 3q^3 + 5q^4 + 8q^5 + 13q^6 + \dots = \sum_{n \geq 0} F_{n+1} q^n$$

(11) Lucas numbers

$$\frac{1 + 2q}{1 - q - q^2} = 1 + 3q + 4q^2 + 7q^3 + 11q^4 + 18q^5 + 29q^6 + 47q^7 + \dots = \sum_{n \geq 0} L_{n+1} q^n$$

(12) odd Fibonacci numbers

$$\frac{1 - q}{1 - 3q + q^2} = 1 + 2q + 5q^2 + 13q^3 + 34q^4 + \dots = \sum_{n \geq 0} F_{2n+1} q^n$$

(13) even Fibonacci numbers

$$\frac{1}{1 - 3q + q^2} = 1 + 3q + 8q^2 + 21q^3 + 55q^4 + \dots = \sum_{n \geq 0} F_{2n+2} q^n$$